

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"6816898".pn. and object	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 15:52
L2	11912	(disconnect\$4 or terminate\$4) same (idle or suspend\$3) same condition	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L3	11912	(disconnect\$4 or terminate\$4) same (idle or suspend\$3) same condition	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L4	926	(disconnect\$4 or terminate\$4) same (idle or suspend\$3) same condition same modes	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L5	52	network with monitor\$4 and L4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L6	826170	network and "2"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L7	11912	(disconnect\$4 or terminate\$4) same (idle or suspend\$3) same condition	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L8	11912	(disconnect\$4 or terminate\$4) same (idle or suspend\$3) same condition	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L9	926	(disconnect\$4 or terminate\$4) same (idle or suspend\$3) same condition same modes	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16

EAST Search History

L10	52	network with monitor\$4 and L9	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L11	115	L9 and network	USPAT	OR	OFF	2007/03/27 16:16
L12	1	L11 and (control with circuit with condition same (met or satisfied))	USPAT	OR	OFF	2007/03/27 16:16
L13	0	L11 and (clock\$3 with stop\$3 with satisf\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L14	1	"20020199026"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L15	31	(interface near5 power near5 consumption).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L16	0	L14 and (@ad<"20010516" @rlad<"20010516")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L17	10	L15 and (@ad<"20010516" @rlad<"20010516")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L18	2	L17 and clock	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L19	8	L17 and (clock\$3 tim\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L20	15	IEEE394	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16

EAST Search History

L21	3	L20 and (@ad<"20010516" @rlad<"20010516")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L22	0	"IEEE394.a"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L23	1	L17 and (clock\$3 tim\$4) and disconnect	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L24	6	L17 and (clock\$3 tim\$4) and (mode\$1 state\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L25	15	"IEEE394"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L26	5	"IEEE1394.a"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L27	1	L26 and (@ad<"20010516" @rlad<"20010516")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L28	1303	(interface near5 power near5 consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L29	642	L28 and (@ad<"20010516" @rlad<"20010516")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L30	239	L29 and (sleep\$3 idle suspend disconnect)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16

EAST Search History

L31	167	L29 and (sleep\$3 idle suspend disconnect) and (active)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L32	1	"6193422".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L33	11903541	(@ad<"20010516" @rlad<"20010516")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L34	243352	power adj consump\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L35	2389	(suspend and active and disconnect)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L36	295	L35 and L34 and L33	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:18
L37	1	"20020199026"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L38	40	L36 and (network adj interface\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L39	2271	(network adj interface\$1) same (suspend active disconnect)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L40	98	L39 and L34 and L33	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16

EAST Search History

L41	2	(network adj interface\$1) same (suspend and active and disconnect)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L42	89733	(network adj interface\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L43	0	L41 and L34 and L33	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L44	1	"6193422".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L45	1543	713/322	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L46	1	("2002/0199026").URPN.	USPAT	OR	ON	2007/03/27 16:16
L47	5	"IEEE1394.a"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L48	12815383	@ad<"20020515" @rlad<"20020515"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L49	1	L47 and L48	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L50	1	"20020199026"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16

EAST Search History

L51	5920779	"5" and L48	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L52	0	"6193422".pn. and pll	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/27 16:16
L53	56	("4294496" "4317180" "4381552" "4458307" "4461003" "4506323" "4523295" "4564751" "4626986" "4646307" "4658352" "4674089" "4689761" "4694393" "4698748" "4734851" "4757505" "4763333" "4782468" "4823292" "4839837" "4868832" "4870570" "4907150" "4933785" "4945335" "4980836" "5014193" "5021983" "5027273" "5027294" "5083266" "5086387" "5136694" "5142684" "5155840" "5163153" "5167024" "5175845" "5175853" "5182810" "5189647" "5214762" "5218704" "5230074" "5237692" "5241680" "5254888").PN. OR ("6193422").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/27 16:16
L54	77	(power near2 (sav\$3 (reduc\$3 near2 consumpt\$3))) with (clock near2 circuit) with (stop ceas\$3 halt\$)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/27 16:16
L55	11903541	(@ad<"20010516" @rlad<"20010516")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:16
L56	39	L54 and L55	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/27 16:16
L57	83002	(power near2 (sav\$3 (reduc\$3 near2 consumpt\$3)))	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/27 16:16
L58	602	(power near2 (sav\$3 (reduc\$3 near2 consumpt\$3))) with (clock near2 circuit)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/27 16:16

EAST Search History

L59	322	L58 and L55	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/27 16:16
L60	5044	(power near2 (sav\$3 (reduc\$3 near2 consumpt\$3))) with (clock)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/27 16:16
L61	4794	709/200	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 16:18
S1	11542	(disconnect\$4 or terminate\$4) same (idle or suspend\$3) same condition	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 14:25
S2	11542	(disconnect\$4 or terminate\$4) same (idle or suspend\$3) same condition	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 12:56
S3	826	(disconnect\$4 or terminate\$4) same (idle or suspend\$3) same condition same modes	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 12:57
S4	43	network with monitor\$4 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 16:24
S5	619990	network and "2"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 16:24
S6	11542	(disconnect\$4 or terminate\$4) same (idle or suspend\$3) same condition	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 16:24
S7	11542	(disconnect\$4 or terminate\$4) same (idle or suspend\$3) same condition	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 16:24

EAST Search History

S8	826	(disconnect\$4 or terminate\$4) same (idle or suspend\$3) same condition same modes	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 16:24
S9	43	network with monitor\$4 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 16:24
S10	96	S8 and network	USPAT	OR	OFF	2005/06/02 16:34
S11	1	S10 and (control with circuit with condition same (met or satisfied))	USPAT	OR	OFF	2005/06/02 16:33
S12	0	S10 and (clock\$3 with stop\$3 with satisf\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/02 16:40
S13	1	"20020199026"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 14:26
S14	28	(interface near5 power near5 consumption).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 16:02
S15	0	S13 and (@ad<"20010516" @rlad<"20010516")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 12:58
S16	10	S14 and (@ad<"20010516" @rlad<"20010516")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 14:35
S17	2	S16 and clock	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 14:28
S18	8	S16 and (clock\$3 tim\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 14:43

EAST Search History

S19	10	IEEE394	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 14:36
S20	3	S19 and (@ad<"20010516" @rlad<"20010516")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 15:23
S21	0	"IEEE394.a"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 15:23
S22	1	S16 and (clock\$3 tim\$4) and disconnect	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 14:40
S23	6	S16 and (clock\$3 tim\$4) and (mode\$1 state\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 16:02
S24	10	"IEEE394"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 15:23
S25	5	"IEEE1394.a"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 15:23
S26	1	S25 and (@ad<"20010516" @rlad<"20010516")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 15:23
S27	1097	(interface near5 power near5 consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 16:02
S28	621	S27 and (@ad<"20010516" @rlad<"20010516")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 16:02

EAST Search History

S29	229	S28 and (sleep\$3 idle suspend disconnect)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 16:03
S30	158	S28 and (sleep\$3 idle suspend disconnect) and (active)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 17:03
S31	1	"6193422".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 17:03
S32	1	"20020199026"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/19 14:02
S33	79067	(network adj interface\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/19 14:13
S34	2045	(network adj interface\$1) same (suspend active disconnect)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/19 14:31
S35	226684	power adj consump\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/19 14:27
S36	11872381	(@ad<"20010516" @rlad<"20010516")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/19 14:26
S37	97	S34 and S35 and S36	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/19 14:31
S38	2	(network adj interface\$1) same (suspend and active and disconnect)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/19 14:31

EAST Search History

S39	0	S38 and S35 and S36	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/19 14:31
S40	2260	(suspend and active and disconnect)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/19 14:31
S41	283	S40 and S35 and S36	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/19 14:32
S42	39	S41 and (network adj interface\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/19 17:29
S43	1368	713/322	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/19 17:33
S44	1	"6193422".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/09/19 17:48
S45	1	"20020199026"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/26 18:15
S46	1	("2002/0199026").URPN.	USPAT	OR	ON	2007/03/26 18:16
S47	5	"IEEE1394.a"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/26 18:33
S48	12814525	@ad<"20020515" @rlad<"20020515"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/26 18:34

EAST Search History

S49	5919923	"5" and S48	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/26 18:34
S50	1	S47 and S48	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/26 18:35
S51	56	("4294496" "4317180" "4381552" "4458307" "4461003" "4506323" "4523295" "4564751" "4626986" "4646307" "4658352" "4674089" "4689761" "4694393" "4698748" "4734851" "4757505" "4763333" "4782468" "4823292" "4839837" "4868832" "4870570" "4907150" "4933785" "4945335" "4980836" "5014193" "5021983" "5027273" "5027294" "5083266" "5086387" "5136694" "5142684" "5155840" "5163153" "5167024" "5175845" "5175853" "5182810" "5189647" "5214762" "5218704" "5230074" "5237692" "5241680" "5254888").PN. OR ("6193422").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/26 19:35
S52	0	"6193422".pn. and pll	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/27 12:56
S53	83002	(power near2 (sav\$3 (reduc\$3 near2 consumpt\$3)))	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/27 12:58
S54	5044	(power near2 (sav\$3 (reduc\$3 near2 consumpt\$3))) with (clock)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/27 12:58
S55	602	(power near2 (sav\$3 (reduc\$3 near2 consumpt\$3))) with (clock near2 circuit)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/27 12:59

EAST Search History

S56	11903541	(@ad<"20010516" @rlad<"20010516")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/03/27 12:58
S57	322	S55 and S56	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/27 12:58
S58	77	(power near2 (sav\$3 (reduc\$3 near2 consumpt\$3))) with (clock near2 circuit) with (stop ceas\$3 halt\$)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/27 12:59
S59	39	S58 and S56	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/27 12:59